



alyvia



Reducir el dolor

Antiinflamatorio

Salud articular

Salud corporal


Alivia tu dolor, vive mejor.

be levels

Reducción eficaz del dolor:


Fórmula patentada y altamente eficaz que alivia el dolor combinando dos ingredientes clínicamente probados y en dosis efectivas.

- / Antiinflamatorio
- / Analgésico
- / Inmunomodulador
- / Neuroprotector



- / Antiinflamatorio
- / Analgésico
- / Antiartrítico


Mecanismo de acción:⁽³⁾



Máxima absorción, con respaldo científico:⁽⁴⁾


Levagen®+ es una patente clínicamente probada de PEA, que aumenta la biodisponibilidad en un 75% respecto a PEA estándar.

PEA concentración de plasma



La tecnología patentada **LipiSpense®** fomenta una liberación de PEA prolongada y uniforme, mejorando la absorción intestinal.

Las fuerzas de repulsión entre las partículas impiden la aglomeración o la agregación, lo que permite una dispersión de partículas adecuada.



¿Para quién es?

- **Dolor articular o musculoesquelético**⁽⁵⁾
(artritis, osteoartritis, artrosis, lumbalgia)
- **Dolor menstrual agudo**⁽⁶⁾
(dismenorrea, endometriosis)
- **Dolor visceral**⁽⁷⁾
(inflamación de la vejiga, hiperreflexia visceral)
- **Afecciones cutáneas**⁽⁸⁾
(dermatitis, eczema, rosácea, prurito crónico)
- **Enfermedades neurodegenerativas**⁽⁹⁾
(Parkinson, esclerosis múltiple)
- **Dolor crónico central**⁽¹⁰⁾
(fibromialgia, fatiga crónica, migrañas, cefaleas)
- **Dolor neuropático periférico**⁽¹¹⁾
(lumbociática, neuralgia postherpética, radiculopatía)
- **Dolor postoperatorio**⁽¹²⁾
- **Reacciones alérgicas**⁽¹³⁾
(rinitis alérgica)
- **Enfermedades inflamatorias intestinales**⁽¹⁴⁾
(Colitis ulcerosa, Crohn, Síndrome de Intestino Irritable)
- **Síndrome metabólico**⁽¹¹⁾

Modo de empleo:

DOSIS DIARIA:

CUÁNDO:

x 2 cápsulas

con una comida

*Preferiblemente por la mañana.



Composición:

INFORMACIÓN NUTRICIONAL	/ 2 caps
Ext. Seco de Resina de Boswellia	700mg
65% Ácidos Boswélicos	455mg
Palmitoiletanolamida	400mg
Ext. Seco de Tallos y Hojas de Bambú	40mg
85% Sílice	34mg

INGREDIENTES PRINCIPALES:

Palmitoiletanolamida (PEA)

Boswellia Serrata

COMPLEMENTO ALIMENTICIO A BASE DE EXTRACTOS DE PLANTAS Y PALMITOILETANOLAMIDA.

INGREDIENTES: Extracto seco de resina de Boswellia (Boswellia serrata Roxb. ex colebr., 65% ácidos boswélicos), Palmitoiletanolamida (PEA) (Levagen®+ es una marca registrada de Gencor Pacific), cápsula (agente de recubrimiento: hidroxipropilmetilcelulosa), agente de carga (celulosa microcristalina), Extracto seco de tallos y hojas de Bambú (Bambusa vulgaris, 85% sílice), antiaglomerante (sales magnésicas de ácidos grasos).



ALLERGEN
FREE



LACTOSE
FREE



GLUTEN
FREE



VEGAN
FRIENDLY

BIBLIOGRAFÍA:

(1): Lang-Millevich K, et al. Palmitoylethanolamide in the treatment of chronic pain: a systematic review and meta-analysis of double-blind randomized controlled trials. *Nutrients*. 2023;15(6):1350.
(2): Yu G, Xiang W, Zhang T, Zeng L, Yang K, Li J. Effectiveness of Boswellia and Boswellia extract for osteoarthritis patients: a systematic review and meta-analysis. *BMC Complement Med Ther*. 2020 Jul 17;20(1):225.
(3): Varrassi G, Rekatsina M, Leoni, et al. A Decades-Long Journey of Palmitoylethanolamide (PEA) for Chronic Neuropathic Pain Management: A Comprehensive Narrative Review. *Pain Ther* 14, 81–101 (2025).
(4): Briskeby D, Mallard A R, Rao A. J. PK Study – Levagen®: Increased absorption of palmitoylethanolamide using a novel dispersion technology system (LipiSpense®). *Nutraceuticals Food Sci* 5.2 (2020): 3.
(5): Briskeby D, et al. The effect of a dispersible palmitoylethanolamide (Levagen+) compared to a placebo for reducing joint pain in an adult population – a randomised, double-blind study. *Int J Nutr Food Sci*. 2021;10(1):9–13.
(6): Rao A, et al. Palmitoylethanolamide (Levagen+) for acute menstrual pain: a randomized, crossover, double-blind, placebo-controlled trial. *Women Health*. 2025;65(3):237–45.
(7): Cervigni M, et al. Micronized palmitoylethanolamide-polydatin reduces the painful symptomatology in patients with interstitial cystitis/bladder pain syndrome. *Biomed Res Int*. 2019;2019:9828397.
(8): Rao A, et al. Efficacy of topical palmitoylethanolamide (Levagen+) for the management of eczema symptoms: a double-blind, comparator-controlled, randomized clinical trial. *Skin Pharmacol Physiol*. 2023;36(6):288–95.
(9): Landolfo E, et al. Effects of palmitoylethanolamide on neurodegenerative diseases: a review from rodents to humans. *Biomolecules*. 2022;12(5):667.
(10): Del Giorno R, et al. Palmitoylethanolamide in fibromyalgia: results from prospective and retrospective observational studies. *Pain Ther*. 2015;4(2):169–78.
(11): Pieralice S, et al. Biomarkers of response to alpha-lipoic acid ± palmitoylethanolamide treatment in patients with diabetes and symptoms of peripheral neuropathy. *Endocrine*. 2019;66(2):178–84.
(12): Bacci C, et al. Randomized split-mouth study on postoperative effects of palmitoylethanolamide for impacted lower third molar surgery. *ISRN Surg*. 2011;2011:917350.
(13): Briskeby D, Ebelt P, Rao A. The effect of Levagen+ (palmitoylethanolamide) supplementation on symptoms of allergic rhinitis—a double-blind placebo-controlled trial. *Nutrients*. 2023;15(23):4940.
(14): Parian A, Limketkai BN. Dietary supplement therapies for inflammatory bowel disease: Crohn's disease and ulcerative colitis. *Curr Pharm Des*. 2016;22(2):180–8.